

Technical sheet

## MA10320PRO

PRO Thermo-hygrometer sensor with LCD screen and temperature probe 868 MHz.



ref. MA10320PRO

## Specifications

# MA10320PRO


### Features ➔

- Dimensions : 36.6 x 132.8 x 19.3 mm
- Power supply : 2 x LR03, AAA Alkaline
- Battery life : 1 year
- Temp. Measuring range : -39.9°C to +59.9°C
- Accuracy : 1°C
- Temp. Probe measuring range : -50°C to +110°C
- Accuracy : 0.5°C
- Humidity measuring range : 20-99%
- Accuracy : 5%
- Min / Max recording
- 18 months history available in the App
- Measuring range : 3.5 minutes
- Transmission range : 100m (in open field)
- Cable length : 1.5m
- This sensor is produced to work with « MOBILE-ALERTS » system only. For using this sensor, MOBILE-ALERTS MA10000 gateway is requested.

Logistical information

**MA10320PRO**

Packaging & Manuals



- 

Export carton

- Export carton EAN code :  
**3 7001 238 3270 6**
- Export carton dimensions :  
**0 x 0 x 0 cm**
- Net Weight : **0 kg**
- Gross Weight : **0 kg**

Base : **MA10320PRO**



- EAN Code : **3 7001 238 5422 7**