

Technical sheet

MA10350

Thermo-hygrometer sensor with LCD screen and H2O sensor 868 MHz



ref. MA10350

- From wireless sensors with Internet connection via gateway - MOBILE ALERTS worldwide monitors all informations from your home via your smartphone. Via push notification you will be alerted immediately to any fault status. So you can avoid major damage through specific action.
- MOBILE ALERTS MA 10001 starter set with Gateway and temperature sensor can be extended with many other wireless sensors, including MA10350.

Specifications

MA10350

Features ➔

- Dimensions : 36.6 x 132.8 x 19.3 mm
- H2O sensor dimensions : 45 x 30 x 6.8 mm
- Power supply : 2 x LR03, AAA Alkaline
- Battery life : 1 year
- Measuring range : -39.9°C to +59.9°C
- Accuracy : 1 °C
- Humidity measuring range : 20-99%
- Accuracy : 5%
- Measuring interval : 7 minutes
- Transmission range : 100m (in open field)
- Cable length : 1,5m
- This sensor is produced to work with « MOBILE-ALERTS » system only. For using this sensor, MOBILE-ALERTS MA10001 gateway is requested.

Logistical information


MA10350

Base : **MA10350**



- EAN Code : **3 7001 238 9804 7**

Packaging & Manuals



-

Export carton

- Export carton EAN code :
3 7001 238 3250 8
- Export carton dimensions :
41 x 31.4 x 36.5 cm
- Net Weight : **4.7 kg**
- Gross Weight : **5.5 kg**