

Technical sheet

MA10660

Wind Meter



ref. MA10660

Specifications

MA10660

Features →

- Display : Current values for wind speed, wind gust and wind direction
- Display for all values : In a pie chart or as history
- Display for values : Linear and logarithmic history display for ranges, hours, days, weeks and months
- Alarm : Alarm setting for certain wind directions, maximum wind speeds and gusts
- Summary of measuring informations : Total number of measured values, the most frequent wind direction, the highest wind speed, the strongest gust, the longest time with and without wind
- Measurement Interval : 7 minutes
- Wind speed : 0.3 to 50 m/s with 0.1 m/s resolution
- Accuracy :3% from 1m/s to 20 m/s
- 5% for others
- This sensor is produced to work with « MOBILE-ALERTS » system only. For using this sensor, MOBILE-ALERTS MA10000 gateway is requested.

Logistical information


MA10660

Packaging & Manuals

Base : **MA10660**



- EAN Code : **3 7001 238 5432 6**
- Dimensions : **250 mm x 192.3 mm x 145.9mm**
- Power consumption : **2 x AAA LR3 rechargeable alkaline (included). Batteries charged by solar power cell.**
- Batteries included



Export carton

- Export carton EAN code :
3 7001 238 3276 8
- Export carton dimensions :
45.5 x 27.5 x 34.6 cm
- Net Weight : **2.3 kg**
- Gross Weight : **2.9 kg**